

KORNEYEVA, P. V.

KORNEYEVA, P. V. - "Drying Transformer Oil Without Heating at Atmospheric Pressure by Processing with Unslaked Lime." Azerbaijan Industrial Inst imeni M. Azizbekov, Yerevan, 1954 (Dissertations For Degree of Candidate of Technical Sciences)

SO: Knizhnaya Letopis' No. 26, June 1955, Moscow

KORNEYEVA, P. V.

USSR/Chemical Technology. Chemical Products and Their I-14
Application--Treatment of natural gases and
petroleum. Motor fuels. Lubricants.

Abs Jour: Ref Zhur-Khimiya, No 3, 1957, 9355

Author : Korneyeva, P. V.

Inst : Central Laboratory of the Armonian Power Trust

Title : The Aging of Transformer Oils in Service

Orig Pub: Tekhn. byul. Tsent. labor. Armenenergo, 1955,
No 1, 65-68

Abstract: Data are presented on the changes which take place
in the physicochemical properties of transformer
oils after long service periods; oils from seven
power transformers were investigated. The largest
variations were observed in the acid number,
sodium test, color, and breakdown voltage. The
results obtained confirm the effect of the type
of drying treatment applied to the oil before it
is poured into the transformer on the service life

Card 1/2

KORNEYEVA, R.

Owned and borrowed funds in revolving credit. Den. i kred. 16 no.3:
36-37 Mr '58. (MIRA 11:5)
(Machinery industry—Finance) (Banks and banking)

~~KORNEYEVA, R.~~

"Issuing credit to enterprises based on inventory turnover" by
M.Pessel'. Reviewed by R.Korneeva. Den.1 kred. 17 no.4:88-89
Ap '59. (MIRA 12:8)

(Credit) (Pessel', M.)

VAYNSHTEYN, Eduard Grigor'yevich; YAMPOL'SKIY, Moisey Markovich;
KORMAYEVA, R., red.; LEBEDEV, A., tekhn.red.

[Issuing credit for fixed assets] Kreditovanie zatrat v
osnovnye fondy. Moskva, Gosfinizdat, 1960. 78 p.

(Credit)

(MIRA 13:7)

YEGOROV, S., KORNEYEVA, R.

Increase control over the supply of commodity and material values.
Den. 1 kred. 18 no.3:9-16 Mr '60. (MIRA 13:2)
(Banks and banking) (Commodity control)

KAMEGULOVA, F.; KORNEYEVA, R.

Maneuvering working capital. Den. 1 kred. 19 no.4:35-40 Ap '61.
(MIRA 14:3)

(Capital)

KORNEYEVA, R.; DEVINA, A.

Establishing norms in enterprises is the basis for the planning of
working capital. Fin.SSSR 23 no.5:37-42 My '62. (MIRA 15:5)
(Capital)

YASIEVICH, V., kand.arkhitektury; PROTSENKO, O., arkhitekt, prepodavatel';
PORSIN, Yu., kand.tekhn.nauk, dotsent; KAMYSHNYY, N., doktor tekhn.-
nauk, prof.; LEVIN, I., kand.tekhn.nauk, dotsent; FRIDKIN, B., student;
SEKACHEV, Yu., student; MILEVSKIY, V., student; VMIRNOV, A., student;
KORNEYEVA, S., studentka; VYGODSKIY, B., student; MOSHKOV, V., student

What kind of program for the course in "Industrial Design?"

Opinion of teachers and students. Tekh.est. no.5:20-21 My '65.

-(MIRA 1886)

1. Kafedra nachertatel'noy geometrii i kafedra grafiki Lesotekhnicheskoy akademii imeni Kirova (for Porsin). 2. Moskovskoye vyssheye tekhnicheskoye uchilishche imeni Baumana (for Kamyshnyy, Korneyeva, Vygodskiy, Moshkov). 3. Moskovskiy avtomekhanicheskiy institut (for Levin, Smirnov). 4. Leningradskiy institut aviapriborostroyeniya (for Fridkin, Sekachev, Milevskiy).

Prevention of polarization of electrodes of batteries with
manganese-air depolarization. ~~By the author, S. S. Kornyshev~~
USSR 192 474. ~~By the author, S. S. Kornyshev~~
Polarization of the negative electrode of a battery is reduced
by the electrode material incorporated.

3
4E2C
4E4J

KARNEVEVA, S.

... ..

L 15986-66 EWT(1)/EWT(m)/T/EWP(e) IJP(c) WH
 ACC NR: AP6005475 SOURCE CODE: UR/0368/66/004/001/0065/0067
 AUTHOR: Shklyarevskiy, I. N.; Korneyeva, T. I.; Ryazanov, A. N. 49
 ORG: none B
 TITLE: An interferometer method for determining the refractive indices of mica 21.44.5 15
 SOURCE: Zhurnal prikladnoy spektroskopii, v. 4, no. 1, 1966, 65-67
 TOPIC TAGS: refractive index, mica, interferometer, spectrum
 ABSTRACT: A method is proposed for determining the dispersion of birefringence in silvered mica from a single interference pattern by measuring the wavelengths of the interference lines. The procedure is a modification of a previously proposed method (I. N. Shklyarevskiy, Opt. i spektr., 6, 780, 1959), and may be used for measuring the dispersion of refractive indices n_y and n_g of mica in the visible region of the spectrum. Equations are derived for determining these indices and dispersion curves for the indices of refraction are given. The results agree satisfactorily with the tabulated values for the indices of refraction of Ural muscovite. Orig. art. has: 4 figures, 5 formulas.
 SUB CODE: 20/ SUBM DATE: 19Apr65/ ORIG REF: 004/ OTH REF: 002
 Card 1/1 20 UDC: 535.417 2

KORNEYEVA, V.A., mladshiy nauchnyy sotrudnik; PODOBEDOV, S.M., starshiy
nauchnyy sotrudnik

Unit for determining the moisture in textile materials by means
of drying with an infrared lamp. Nauch.-issl.trudy TSNIIIV 15:127-
135 '61. (MIRA 18:4)

KORNEYEVA, V. G.

KORNEYEVA, V. G.

"Some Remarks on the Geological Structure of the Eastern Carpathians,"
Geol. sb., 2, 309-317, 1953

In a study of the problem of the mechanism governing the formation of the Bereg overthrust in the Borislav region, the author disproves the conclusion concerning a tectonic contact between the deposits of the paleogene of the Bereg scale and of the miocene of the cis-Carpathian border depression. She establishes that the miocene lies on the eroded surface of paleogene deposits. She proposes that the overthrusting of the Bereg scale occurred in the lower miocene as a result of gravitational sliding of large block of flysch rock toward the side of the depression.

RZhGeol, No 1, 1955

GOLUBKOV, I.A.; KORNEYENKO, V.G.

Stratigraphy of the Lower Miocene of the cis-Carpathian regional depression.
Dokl.AN SSSR 93 no.3:527-529 M '53. (MLBA 6:11)

1. Vsesoyuznyy neftyanoy nauchno-issledovatel'skiy geologo-razvedochnyy institut. Predstavleno akademikom S.I.Mironovym.
(Transcarpathia--Geology) (Geology--Transcarpathia)

KORNEYEVA, V.G.

~~Stratigraphy of the Paleogene period in the Soviet Carpathians.~~
Geol.sbor. no.3:108-112 '55. (MLRA 8:6)
(Carpathian Mountains--Geology, Stratigraphic)

KORNEYEVA, Vera Gavrilovna; ALYAYEV, S.Ye., nauchnyy red.; KHELAREV,
~~I.A.~~, vedushchiy red.

[Geology and oil potential of the southwestern cis-Carpathian
region and the adjacent part of the Soviet Carpathians]
Geologicheskoe stroenie i neftenosnost' iugo-zapadnogo Predkar-
pat'ia i prilozhushchei chasti Sovetskikh Karpat. Leningrad,
Gos.nauchn.-tekhn.izd-vo neft.i gorno-toplivnoi lit-ry.
Leningr. otd-nie, 1959. 198p. (Leningrad. Vsesoiuznyi neftianoi
nauchno-issledovatel'skii geologorazvedochnyi institut. Trudy,
no.141). (MIRA 13:1)
(Carpathian Mountain region--Petroleum geology)

KORNEYEVA, V.G.; ANSIMOV, V.V.; KRAVCHENKO, L.M.

Combined oil and gas prospecting method to be applied in
the western part of the West Siberian Plain. Trudy VNIGRI
no.140:354-386 '59. (MIRA 13:6)

(West Siberian Plain—Petroleum geology)
(West Siberian Plain—Gas, Natural—Geology)

ZHULENKO, V.N.; KORNEYEVA, V.I.

Immobilization of wolves and bears with ditilin. Veterinariia
42 no.11:68-69 N 165. (MIRA 19:1)

1. Moskovskiy tekhnologicheskii institut myasnoy i molochnoy
promyshlennosti i Moskovskiy zoologicheskii park.

VELICHKIN, Ya.A., red.; KARAMYSHEV, I.A., red.; LEVIN, B.I., red.;
STAVRAKOV, Ye.Kh., red.; TYULENEVA, L.M., red.; TEMKINA, Ye.L.,
tekhn.red.; KORNEYEVA, V.I.

[Proceedings of the section on construction for transportation]
Sektoria transportnogo stroitel'stva. Moskva, Gos. izd-vo lit-ry
po stroit., arkhitekt. i stroit. materialam, 1958. 372 p. (MIRA 12:1)

1. Vsesoyuznoye soveshchaniye po stroitel'stvu. Moscow, 1958.
2. Zamestitel' ministra transportnogo stroitel'stva (for Levin).
(Transportation)

CHAUSOV, Nikita Semenovich, kand.tekhn.nauk; Prinimali uchastiye:
GVOZDIKOV, B.F., inzh.-elektrik; KULAKOV, B.F., inzh.-elektrik;
SBORSHCHIKOV, S.G., inzh.-elektrik; PUKHLYANKO, A.A., inzh.-elektrik;
KORNEYEVA, V.P., tekhnik-elektrik; AYNBERG, V.D., programmist; MEL'NIKOVA,
M.G., programmist; KOZLOVA, R.Ya., programmist; ARKHIPOVA, A.A., programmist
VILKOV, G.N., red.izd-va; MOCHALINA, Z.S., tekhn.red.

[Using electronic computers in calculating engineering constructions
(programming the calculation of shallow shells and beams for the electronic
digital computer "Ural-1")] Primenenie elektronnykh vychislitel'nykh
mashin pri raschete inzhenernykh sooruzhenii (programirovanie rascheta
pologikh obolochek i sterzhnei dlia ETsVM "Ural-1"). Moskva, Gos.izd-vo
lit-ry po stroit., arkhitekt. i stroit. materialam, 1962. 135 p. (Akademiia
stroitel'stva i arkhitektury SSSR. Institut stroitel'nykh konstruksii.
Trudy, no.9). (MIRA 15:8)

(Electronic digital computers) (Elastic plates and shells)
(Beams and girders)

KOR NEYEVA, V.S.

AUTHOR: Milovanov, L.V., Krasnov, B.P. and Korneyeva, V.S. ^{136-2-1/22}
TITLE: Experience in the Removal of Cyanide Compounds from Waste Water from Lead-Zinc Beneficiation Plant with Bleaching Powder. (Opyt ochistki stochnykh vod svintsovo-tsinkovykh obogatitel'nykh fabrik ot tsianistykh soedineniy khlornoy izvestyu)

PERIODICAL: Tsvetnyye Metally, 1957, No.2, pp. 1-5 (USSR)

ABSTRACT: Cyanides are used in flotation as depressors and this article deals with their removal. As well as general information experiments at a beneficiation plant in which, in common with conditions at some other plants (tabulated), the cyanides are contained mainly in the effluent from copper concentrate thickeners and three examples show the corresponding values of waste water per ton of treated ore of 0.06, 0.35 and 0.42 m³. The three existing methods of effecting the purification are critically discussed: treatment with bleaching powder; treatment with ferrous sulphate and lime; and removal as HCN on acidification of these. The first is shown to be the best and the operation of a plant using it is described. For the tests a combined discharge from the copper and lead concentrate thickeners was used. Active chlorine consumption was found from the difference between the amount introduced and that

1/2

KORNEYEVA, V. Ye.

KORNEYEVA, V. Ye. (VIEW), "Change of Cultural, Biochemical, and Biological Properties of Brucella in Different Culture Media".

SO: Veterinariya, Vol. 28, No. 7, July 1951, Moscow, pp. 15-21 (U-5232)

uncl

KORNEYEVA, V. Ye.

KAZANSKIY, I. I., NIKOLAYEV, A. V. and KORNEYEVA, V. Ye.

"Action of Chemical Substances on Viruses"

SO: Proceedings of the All-Union Institute of Experimental Veterinary Medicine; Vol. XIX,
No. 1, 1952. (TABCON)

1. KORNEYEVA, V. Ye
 2. USSR (600)
 4. Bacteria, Pathogenic
 7. Changes in cultural, biochemical and biological properties of brucella cultures in different media. Trudy Vses. inst. eksp. vet. 19. no. 1. 1952.
9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

KORNEYEVA, Ye.P.

Case of typhoid fever in conjunction with aspergillar form of pneumonia in a child. Med.shur.Usb. no.1:79-80 Ja '59. (MIRA 13:2)

1. Iz infektsionnoy bol'nitsy No.1 goroda Tashkenta (glavnyy vrach - M.Kh. Khashimov, konsul'tant - prof. I.K. Musabayev).
(TYPHOID FEVER) (PNEUMONIA)

ALEKSEYEV, P.A.; BERMAN, M.I. ; KORNYIYA, Ya.P.

Clinical and pathohistological picture of *S. typhimurium* infection in children. Zhur.mikrobiol.epid.i immu. 31 no.1:111-116 Ja '60.

(MIRA 13:5)

1. Iz 2-y Tashentskoy detskoy infektsionnoy bol'nitsy.
(*SHAMONELLA* INFECTIONS in inf. & child.)

TSVETKOV, V.N. & KOFMEYEVA, Ye.V.

Modification of the Zimm viscosimeter. Vest. LNU 20 no. 22: 75-79
*65. (MIRA 18:12)

87027

S/190/60/002/007/009/017
B020/B052

5.4130

AUTHORS: Kallistov, O. V., Korneyeva, Ye. V.

TITLE: Investigation of the Flow Birefringence in Films of
Isotactic Polystyrene

PERIODICAL: Vysokomolekulyarnyye soyedineniya, 1960, Vol. 2, No. 7,
pp. 1056-1062

TEXT: One of the sensitive methods for the investigation of polymer molecular structures in the solid phase, is that of the photoelastic effect in films. It was the aim of the present paper to determine the photoelastic coefficients of amorphous, isotactic polystyrene, the effect of crystallinity on the flow birefringence, and the photoelastic properties in films. Fig. 1 gives the scheme of the optical device used in this paper. The light source was a cinematographic lamp with a straight filament, which was focussed onto the film by a condensing lens. A special apparatus was used for fixing the film, thus allowing a considerable simplification and wider possibilities of observing the photoelastic effect (Fig. 2). The solvent suited best for the development of

Card 1/3

87027

Investigation of the Flow Birefringence in
Films of Isotactic Polystyrene

S/190/60/002/007/009/017
B020/B052

the film was α -bromo naphthalene. Fig. 4 shows the dependence of the compensation angle on time at different temperatures, Fig. 5 the dependence of the flow birefringence of the film on the time of heating at 119°C. Fig. 6 gives the dependence of the photoelastic coefficient on the time of heating, and Fig. 7 that of the photoelastic coefficient of the amorphous, isotactic and atactic polystyrene on temperature. Summing up one may state that a time dependence of the flow birefringence and photoelastic effect related to the occurrence of an initial crystallization phase, may occur in films, in the highly elastic state of stereoregular (isotactic) polystyrene. The temperature dependence of the photoelastic constant of amorphous isotactic polystyrene has also been found. Fig. 7 shows that the photoelastic coefficients of amorphous isotactic and atactic polystyrene were alike at the boundaries within the limits of experimental errors in the total range of temperatures investigated. Finally, the authors thank V. N. Tsvetkov for his valuable advice in this work and the evaluation of the results obtained. M. V. Vol'kenshteyn and I. A. Andreyeva are mentioned. There are 7 figures and 7 references: 5 Soviet and 2 German.

Card 2/3

87027

Investigation of the Flow Birefringence in
Films of Isotactic Polystyrene

S/190/60/002/007/009/017
B020/B052

ASSOCIATION: Institut vysokomolekulyarnykh soyedineniy AN SSSR (Institute
of High-molecular Compounds of the AS USSR)

SUBMITTED: March 14, 1960

Card 3/3

TSVETKOV, V.N.; KALLISTOV, O.V.; KORNEYEVA, Ye.V.; NEKRASOV, I.K.

Stereoregularity and optical anisotropy of polypropylene.
Vysokom. soed. 5 no.10:1538-1542 0 '63. (MIRA 17:1)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR.

KORNEYEVSKIY, Mikhail Yefimovich

Origin of Death Concerning Hanging in the Light of a (sovremennykh)
Thanatological View.

Dissertation for candidate of a Medical Science degree. Permsk Medical
Institute, 1947

KORNEYICHEV M.
LOMANOV, A., inzhener; KORNEYICHEV M.; ZHOROV, S.

Improving the organisation of automobile servicing. Avt.transp. 34
no.9:11-12 S '56. (MLRA 9:11)
(Automobiles--Maintenance)

KORNEYKO, A. V.

"Change of the Fat and Carbohydrate Content in Milk Due to the Action of Neutrotropic
[sic] Substances." Min. Higher Education USSR, Kar'kov State U imeni A. M. Gor'kiy,
Vitebsk, 1955. (Dissertation for the Degree of Candidate of Biological Sciences)

SO: Knizhnaya Letopis', No. 22, 1955, pp 93-105

КОРНЕЙКО, А.В.

NIKITIN, V.M.; KAPLAN, V.A.; KORNEYKO, A.V.; POPOVA, L.Ya.

Some aspects of the biochemistry of lactation. Zhur.ob.biol. 17 no.4:
272-282 J1-Ag '56. (MIRA 10:2)

1. Kafedry fiziologii cheloveka i zhiivotnykh Khar'kovskogo universiteta
i fiziologii i biokhimii sel'skokhozyaystvennykh zhiivotnykh Khar'kov-
skogo zootekhnicheskogo instituta.
(LACTATION)

KORNEYKO, A.V., BERENSHTEYN, F.YA. (USSR)

"Effect of Bromides, Fluorides and Iodines on Carbohydrate
Metabolism and Oxidative Processes in the Animal Body."

Report presented at the 5th Int'l. Biochemistry Congress,
Moscow, 10-16 Aug 1961.

BERENSHTEYN, F.Ya.; KORNENKO, A.V.

Effect of zinc on the glycogen and amylase content of the blood.
Dokl. AN BSSR 4 no. 11:486-489 N '60. (MIRA 13:12)

1. Vitebskiy veterinarnyy institut. Predstavleno akademikom
AN BSSR V.A. Leonovym.

(Zinc--Physiological effect)
(Glycogen) (Amylase)

KLURFEL'D, A.I., inzh.; KORNEYKO, V.N., inzh.; RULLIT, R.A., inzh.;
SAMORODSKIY, L.F., inzh.; FRIDMAN, A.Ye., inzh.; SHCHERRINA,
S.A., inzh.

Control system of a PVK-150 turbine and some special features
of its adjustment. Teploenergetika 11 no. 1:67-72 Ja '64.
(MIRA 17:5)

1. Khar'kovskiy turbinnyy zavod im. S.M.Kirova.

PRITULA, V.A.; KORNFELD, I.A.

Corrosive destruction of reinforced concrete caused by stray electricity.
Stroi.prom. 31 no.6:30-31 Je '53. (MLRA 6:7)
(Electric currents, Vagrant) (Concrete, Reinforced)

KORNFELD, I. A.

PRITULA, V. A.; KORNFELD, I. A.; SIMON, A. G.

Electrolytic corrosion of metal and reinforced concrete structures in electrolysis sections. Khim. prom. no. 1:33-35 Ja-F '57.
(Electrolytic corrosion) (Reinforced concrete) (MLBA 10:4)

KURNFELD, D. H.

<p>TABLE 1 BOOK DESCRIPTION 807/403</p> <p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p> <p>Contents: The collection of 9 articles deals with corrosion processes which occur in reinforced concrete and methods of combating them. Increasing the durability of reinforced concrete through the use of admixtures of organic-inorganic compounds or by surface treatments. Methods of determining the rate of corrosion of reinforced concrete structures in various environments. Methods of determining the rate of corrosion of reinforced concrete structures in various environments. Methods of determining the rate of corrosion of reinforced concrete structures in various environments.</p>	
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>90</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>72</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>60</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>50</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>40</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>30</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>20</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>10</p>
<p>Author's description: This book is intended for scientific research workers and construction engineers specializing in reinforced-concrete structures.</p>	<p>0</p>

KORNFEL'D, I.A., inzh.; PREVLA, V.A., inzh.

Electric corrosion of reinforced concrete. Trudy NIIZHB no.15:72-
79 '60. (MIRA 13:9)

(Concrete--Corrosion)

PRITULA, V.A., kand. tekhn. nauk; KORNFEI'D, I.A., inzh.

Conditions of the propagation of stray currents. Stroi.
truboprov. 8 no.6:16-17 Je '63. (MIRA 16:7)

(Electric currents, Leakage)

KORNFEL'D, Ida Abramovna, inzh.; PRITULA, Vsevolod Aleksandrovich,
kand. tekhn. nauk; RYAZANTSEVA, L.I., red.izd-va;
KOMAROVSKAYA, L.A., tekhn. red.

[Protecting reinforced concrete structures from corrosion
caused by stray currents] Zashchita zhelezobetonnykh kon-
struktsii ot korrozii, vyzyvaevoi bluzhdaiushchimi tokami.
Moskva, Stroiizdat, 1964. 75 p. (MIRA 17:3)

KORNFEL'D, I.P. (Moskva)

Sets of convergence and divergence of functional sequences. Izv.
vys. ucheb. zav.; mat. no. 4:79-88 '63. (MIRA 16:10)

KORNFELD, L.

Acicular filters. p.185.

REVISTA CAILOR FERATE. (Calle Ferate Romine)
Bucuresti, Rumania
Vol. 7, no. 4, Apr. 1959.

Monthly list of Eastern European Accession Index (EEAI) LC vol. 8, No. 11
November 1959
Uncl.

KORNFELD, L., ing.

Modern equipment for removal of the useless from tubular columns
and open caissons. Rev sailor fer 10 no.10:535-541 0 '62.

KORNFELD, Leo, ing.

Vibrators for ramming the piles of the reinforced concrete pillars.
Rev callor fer 10 no.7:343-348 J1.'62.

KORNFELD, Leo, ing.

Consolidation of the foundation ground by sand piles. Rev
cailor fer 12 no. 5:269-276 My '64.

KORNFELD, L., ing.

Constructing and operating therapeutic pressed air locks.
Rev caller for 13 no.1:29-33 Ja '65.

KORNFEI'D, L. I.

RUTES, Viktor Savell'yevich; KATOMIN, Boris Nikolayevich; KORNFEI'D, L. I.,
nauchnyy redaktor; SEREBRENNIKOVA, L.A., redaktor; MATUSEVICH, N.L.,
tekhnicheskiiy redaktor

[Continuous casting of steel] Nepreryvnaya razvivka stali. Moskva,
Vses.uchebno-pedagog.izd-vo Trudrezervizdat, 1957. 81 p. (MLRA 10:9)
(Steel--Metallurgy) (Founding)

KORNFELD, Leo, ing.

Dismountable reed hut for construction sites. Rev sailor for 11
no.3:130-137 Mr '63.

BELANCIC, Ivan; KORNFIELD, Mario; SAMOSCANEC, Slavko

Contribution to the diagnosis of chloro-leukemia. Radovi med.fak.,
Zagreb 7 no.2:93-110 '59.
(LEUKOSARCOMA diag)

KORNFELD, Mario, dr.

Microangiopathia Thrombotica. Lijec. vjes. 82 no.2:119-125 '60.

1. Iz Patoloskog instituta Opce bolnice "Dra M. Stojanovica" u Zagrebu.

(NO SUBJECT HEADING)

1ST AND 2ND CODES		PROCESSING AND PROPERTY INDEX		3RD AND 4TH CODES	
<p><i>Theoretical Basis for the Wire-Drawing Process. M. O. Kornfeld (Metallurg (Metallurgy), 1962, (12), 15-29).—[In Russian.] Published data on the determination of the power required in drawing and the optimum size of the die are examined. The limiting degree of drawing and the optimum size of the wire are analyzed. To prevent breaking of the wire, the ratio of the drawing power (P) to the strength of the wire (σ_s) on emerging from the die must be less than 1. This ratio (P/σ_s) is represented by ϵ and is known as the coeff. of reserve. For a thin wire the limiting value of ϵ is 0.60 and for a thick wire 0.7-0.8. As a first approximation ϵ depends only on the degree of reduction in area. An apparatus for the rapid determination of ϵ for various drawing dies is described. The drawing process on multi-pass installations is discussed.—N. A.</i></p>					
<p>ASB-51A METALLURGICAL LITERATURE CLASSIFICATION</p>					
FROM SYNONYM		FROM BOWLING		FROM BOWLING	
SYNONYM #1		SYNONYM MAP ONE ONE		SYNONYM ONE ONE ONE	
SYNONYM #2		SYNONYM MAP ONE ONE		SYNONYM ONE ONE ONE	

*Changes in the Properties of Deformed Single Crystals by Recovery. M. D. Kuznetsov (Zhurnal eksperimental'noy i teoreticheskoy fiziki [Journal of Experimental and Theoretical Physics], 1933, 8, (6), 347-357, 10 refs., in Russian). The heating of deformed single crystals of aluminum up to a partial recovery occurs in the lattice structure, the residual distortions being exceptionally stable. The yield-point, corresponding with the stable state, is directly related to the degree of deformation, and at 300°-500° C. is independent of temperature. —N.A.

— 5.4 —

A 5 M - S L A M E T A L L U R G I C A L L I T E R A T U R E C L A S S I F I C A T I O N

1ST AND 2ND CODES										3RD AND 4TH CODES									
<p>711</p> <p>1</p> <p>*Change in Properties of Deformed Polycrystalline (Aluminum) During Recovery (Rebaking). M. O. Kornfeld (Zhurnal eksperimental'noy i teoreticheskoy fiziki (Journal of Experimental and Theoretical Physics), 1933, 3, (6), 563-566).—[In Russian.] Annealing of deformed polycrystalline aluminum in the region of "pure recovery" does not restore the original properties. The processes which take place during recovery lead to a highly stable condition characterized by a yield-point higher than that of the original material due to the residual distortion of the lattice after recovery. Laue photographs indicate that during recovery there is no noticeable shift in the boundaries between grains. It may therefore be concluded that any change in properties during recovery is determined mainly by processes taking place within the grain.—N. A.</p>																			
<p>ASB.51A METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>1ST AND 2ND CODES</p>										<p>3RD AND 4TH CODES</p>									
<p>1ST AND 2ND CODES</p>										<p>3RD AND 4TH CODES</p>									

1ST AND 2ND COLUMNS										3RD AND 4TH COLUMNS									
PROCESSING AND PROPERTIES INDEX																			
<div style="display: flex; justify-content: space-between;"> SA A 548 a </div> <p>436. Alteration in the Properties of a Polycrystalline Material on Recovery. H. O. Kornfeld. <i>Phys. Zeits. d. Sowjetunion</i>, 4, 4, pp. 646-674, 1955.—The annealing of a deformed polycrystalline specimen of aluminum in the region of pure recovery (i.e., in the absence of recrystallization) does not restore the original properties of the material. The yield points are measured after recovery for several hours at various temperatures between 280 and 300°C, and are shown to be higher than in the original material. Evidence is adduced to show that this change is due to intergranular disturbances. H. J. H. S.</p>																			
A10-11A METALLURGICAL LITERATURE CLASSIFICATION																			
10000 00										10000 000 000									
10000 00										10000 000 000									

CN

The mechanism of recovery from fatigue and of recrystallization. M. O. Kandel'd. *J. Tech. Phys.* (U. S. S. R.) 4, 235-52(1934).--A review. E. H.

ASD-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND COLUMNS										PROCESS AND PROPERTY INDEX										100 AND 4TH COLUMNS																																																																					
<div style="display: flex; justify-content: space-between;"> M 3 </div> <p>Anisotropy in the Velocity Growth of New Grains on Recrystallization <i>Journal of Experimental and Theoretical Physics</i>, 1934, 4, (8), 869-873 (in Russian). <i>Fiziki (J. Expt. and Theor. Physics)</i>, 1934, 4, (8), 869-873 (in Russian). <i>and Physikal. Z. Sowjetunion</i>, 1934, 6, 170-174 (in German).—The anisotropic rate of growth of new grains in polycrystalline aluminium may be observed at slightly above the recrystallization temperature, the degree of anisotropy depending on the temperature.—N. A.</p>																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> <p>ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>FROM SYMBOLIC</p> </div> <div> <p>FROM SYMBOLIC</p> <p>FROM SYMBOLIC</p> </div> </div>																																																																																									
<table border="1"> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>																														1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30																														
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30																																																												

1ST AND 2ND GROUES										3RD AND 4TH GROUES									
PROCESSES AND PROPERTIES INDEX																			
<div style="position: absolute; top: 10px; left: 10px; font-size: 2em; transform: rotate(-45deg);">24</div> <div style="position: absolute; top: 10px; left: 10px; transform: rotate(-90deg);"> OPEN MATERIALS INDEX CROWN ELEMENTS </div>																			
<p> *Recovery of Deformed Crystals of Aluminum During Rest. M. O. Kornfeld <i>(Zhurnal eksperimental'noy i teoreticheskoy fiziki (J. Exper. and Theoret. Phys.))</i>, 1934, 4, (8), 873-882. —[In Russian.] The relation between the rate of recovery and the degree of deformation and the temperature of rest has been investi- gated. The relation between the limit of flow and the temperature of rest established by K.'s earlier work has been confirmed over a wider range of deformations. With temperatures above 550° C. a secondary uniform decrease in the limit of flow with annealing temperature takes place, resulting in complete restoration of the initial properties. It is shown that the coeff. of strength of a deformed crystal varies with the temperature of rest. Possible interpretations of the phenomenon of recovery are given.—N. A. </p>																			
ASD-564 METALLURGICAL LITERATURE CLASSIFICATION																			
1ST GROUES 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20										2ND GROUES 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40									

11 12 13 14 15 16 17 18 19 20										21 22 23 24 25 26 27 28 29 30										31 32 33 34 35 36 37 38 39 40										41 42 43 44 45 46 47 48 49 50																			
1 2 3 4 5 6 7 8 9 10										11 12 13 14 15 16 17 18 19 20										21 22 23 24 25 26 27 28 29 30										31 32 33 34 35 36 37 38 39 40																			
111 AND 2ND SERIES										112 AND 3RD SERIES										113 AND 4TH SERIES										114 AND 5TH SERIES																			
PROCESSES AND PROPERTIES INDEX																																																	
<div style="float: right; font-size: 2em;">A 548</div> <div style="clear: both;"></div> <p>1817. Alteration in Properties of a Deformed Single Crystal on Recovery. M. O. Kargin. <i>Phys. Zelle. d. Sowjetunion</i>, 8, 2, pp. 185-190, 1958. In German.—Previous work on the recovery of deformed polycrystalline materials [see Abstract 488 (1954)] is extended to the case of single crystals of Al. The relations between the limits of flow of the deformed crystal and the time and temperature of the recovery process are investigated. The results, which are in close agreement with those obtained previously, suggest that the alteration in the behaviour of a deformed polycrystalline material on recovery is dependent upon the recovery of the crystals composing it.</p> <div style="text-align: right;">H. J. H. S.</div>																																																	
ASAC-5L6 METALLURGICAL LITERATURE CLASSIFICATION																																																	
<div style="display: flex; justify-content: space-between;"> <div>FROM SYNOPTIC</div> <div>COLLECTOR</div> <div>COLLECTOR</div> </div>																																																	
<div style="display: flex; justify-content: space-between;"> <div>100000 MAY 1958</div> <div>100000 MAY 1958</div> <div>100000 MAY 1958</div> </div>																																																	

The anisotropy in the velocity of growth of new grains on recrystallization. M. Karpold, *Physik. Z. Sowjetunion* 6, 170-4 (1964).—An anisotropy in the growth of new grains is observed when polycryst. Al is heated at temps. slightly above the recryst. temp. The degree of anisotropy depends upon the temp. of heating. M. M.

ASM-51A METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND EDITION										140 AND 4TH EDITION									
PROCEDURES AND PROPERTIES INDEX																			
<p><i>The Softening of a Strained Metal (Aluminium) by Relaxation. M. Knapik (Physikal. Z. Sowjetunion, 1934, 3, 233-242).—[In German.] The dependence of the velocity of softening of an aluminium single crystal on the initial strain and temperature of relaxation is investigated. The nature of the dependence of the flow limit on the relaxation temperature, established by K. in previous work (Met. Abs., 1934, 1, 228, and this vol., p. 206) is now confirmed over a wide range of strains. Above 350° C. a second steady decrease of flow limit with decrease of relaxation temperature occurs, so that finally the original elastic characteristics of the crystal are recovered. A theory of relaxation is briefly discussed.—J. S. G. T.</i></p>																			
<p>ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>10000 10000 10000 10000 10000 10000 10000 10000 10000 10000</p>										<p>10000 10000 10000 10000 10000 10000 10000 10000 10000 10000</p>									

1ST AND 2ND ORDER										3RD AND 4TH ORDER									
PROCESSES AND PROPERTIES INDEX																			
COMMON ELEMENTS										COMMON DATA BASE INDEX									
<p>3</p> <p><i>Influence of Recovery on Recrystallization. M. Kuznicki and W. Pavlov (Physical. Z. Sowjetunion, 1934, 6, (6), 537-548; Sov. Phys., 1935, [A], 22, 336).—[In]</i></p> <p><i>a.) Cold-drawn aluminium wires of 1.90 mm. diameter</i></p> <p><i>are deformed by stretching and are annealed at 450° C. The following problems are studied, and the results given graphically: the relations between grain-size and both time and temperature of the recovery process; the relation between the grain-size and the degree of deformation; and the difference between specimens which have been subjected to a recovery process and those which have not. The rate of growth of new grains and the "incubation period" are discussed, and it is shown that the former is not affected by recovery whilst the latter is very much greater for specimens subjected to a recovery process.—S. G.</i></p>																			
ASH-31A METALLURGICAL LITERATURE CLASSIFICATION																			
1ST ORDER										2ND ORDER									
3RD ORDER										4TH ORDER									

11T AND NO CRITERIA										PROCEDURES AND PROPERTIES INDEX										10G AND 6TH INDEX									
<p>Formation of new nuclei in crystallization. I. Dependence of the time of incubation on the deformation and the heating conditions. M. O. Korotki'd. <i>J. Exptl. Theoret. Phys.</i> (U. S. S. R.) 9, 335-33 (1935).—K. discusses the concepts: speed of formation of centers, recrys. wave and tendency toward recrys. Al wires tempered at 410° were deformed by tension, and allowed to recrystallize at 300°. For samples deformed 4.5, 5.0 and 7.0%, the speeds of nuclei formation are not linear functions of time or degree of deformation but increase more rapidly than linearly with time and deformation. The linear speed of the growth of nuclei is greater for smaller deformation and falls rapidly and linearly with time. F. H. Rathmann</p>																													
<p>ASM-3LA METALLURGICAL LITERATURE CLASSIFICATION</p>																													
<p>10000 00000</p>										<p>10000 00000</p>										<p>10000 00000</p>									

COMMON ELEMENTS																										PROCESSES AND PROPERTIES INDEX																									
COMMON ELEMENTS																										PROCESSES AND PROPERTIES INDEX																									
<p>27</p> <p>3</p> <p>*Formation of New Grains in Recrystallization. II.—Nature of the Incubation Period. M. O. Kopylov (Zhurnal eksperimental'noy i teoreticheskoy fiziki (J. Exper. Theoret. Physics), 1933, 6, (10), 990-1000).—[In Russian.] Two interpretations of the nature of the incubation period are possible but only one corresponds to experimental data. According to this, the nuclei are formed as a result of an irreversible process occurring at the very outset of the annealing in a definite region of the deformed metal. The duration of the incubation period is equal to the time necessary for the conclusion of this process.—N. A.</p>																																																			
<p>ASB-55A METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			

Processes and Properties Index

Random formation in recrystallization. 1. The dependence of incubation time on the deformation and annealing conditions. M. Kornfeld. *Physik. Z. Sowjetunion* 7, 432-41(1958); cf. C. A. 50, 304. -The velocity of nucleus formation, recryst. threshold, and recryst. ability in a plastically deformed crystal substance are precisely defined and exp'd. data are given in illustration. Observations were made on an annealed Al wire which was deformed and then reannealed at 410°. The recryst. threshold in relation to the annealing time is det'd. by 2 factors: the velocity of appearance of nuclei and the linear velocity of growth of new grains. These serve as explicit criteria of the recryst. ability of the deformed material. To understand the recryst. process it is necessary to know how the length of incubation period (time required for onset, velocity of growth of a new grain) depends on the degree of deformation, annealing temp., etc. Complications prevented establishing an av. incubation time. It is asserted that the reciprocal value of the incubation period increases exponentially with the annealing temp. The process is discussed with regard to the results, but is not clearly understood. A. S. S.

1ST AND 2ND SECTIONS										PRECEDENCE AND PROPERTIES INDEX										3RD AND 4TH SECTIONS									
BC																				2-1									
<p>Structure of a deformed crystal and recovery phenomena. N. Kozlovskii (Physical. Z. Soviet-union, 1955, 7, 188-189).—A plastically deformed crystal consists of small particles which are bounded by the slip-planes of the crystal and are partly dis-oriented relatively to one another. The lattice is distorted along the edges of the particles. The particles are also plastically distorted. The recovery of distorted Al crystals has been investigated as a function of the time and temp. of heating.</p> <p style="text-align: right;">J. W. S.</p>																													
<p>ADDITIONAL METALLURGICAL LITERATURE CLASSIFICATION</p>																													
<p>ADDITIONAL LITERATURE CLASSIFICATION</p>										<p>ADDITIONAL LITERATURE CLASSIFICATION</p>										<p>ADDITIONAL LITERATURE CLASSIFICATION</p>									

<div style="float: right; font-size: 2em; margin-right: 10px;">a-1</div> <div style="float: left; font-size: 2em; margin-left: 10px;">BC</div> <div style="clear: both;"></div> <div style="text-align: center; margin-top: 20px;"> <p>Kinetics of recrystallization of tin, cadmium, and iron. M. KOSWOLD and P. NAVIERI (Physikal. Z. Sovietunion, 1163, 6, 530-533).—In the recrystallization of these metals, as with Al (Karnop, A., 1930, 730; B., 1930, 911) and rock-salt (Müller, A., 1934, 1058), there is an incubation period before the appearance of cryst. nuclei. The rate of growth of crystals is linear with time. Recovery from deformation is complete before the appearance of the first visible nucleus.</p> <p style="text-align: right;">A. J. M.</p> </div>																									
<div style="display: flex; justify-content: space-between;"> <div> <p>ASB. SLA DETALLURGICAL LITERATURE CLASSIFICATION</p> <p>REGION 1011111111</p> <p>REGION 1011111111</p> </div> <div> <p>REGION 1011111111</p> <p>REGION 1011111111</p> </div> </div>																									

RC		2-1	
<p>Formation of nuclei in recrystallization. II. Nature of the incubation period. M. KORNFIELD (Physical Z. Soviet Union, 1935, 8, 533-535; cf. A. A., 1935, 1397).--The existence of the incubation period can be explained in two ways: (1) the formation of a nucleus in a small vol. of the deformed material takes place suddenly owing to a single thermal fluctuation, and (2) a continuous irreversible process takes place in a definite part of the deformed material from the commencement of heating. The incubation period corresponds with the time taken for the completion of this process. The dependence of the no. of recrystallization nuclei on the duration of heating is calc. on the basis of each of these explanations. The results of experiment favour the second explanation.</p> <p style="text-align: right;">A. J. M.</p>			
<p>ASB-51A METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>RESEARCH DIVISION</p>		<p>RESEARCH DIVISION</p>	
<p>RESEARCH DIVISION</p>		<p>RESEARCH DIVISION</p>	

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
PROCESSES AND PROPERTIES INDEX																			
<p><i>The Formation of (Crystal) Nuclei Associated with Recrystallization. III. -- The Orientation of Recrystallization Nuclei. M. Kogutski (Physical. Z. Soviet-union, 1936, 18, (2), 142-143).--[In German.] Experimental work concerned with the plastic extension of aluminum single crystals shows that the velocity of formation of crystal nuclei associated with recrystallization is very great in regions of plastically deformed crystals whose orientation differs considerably from that characterizing the crystals prior to their extension.--J. N. G. T.</i></p>																			
ARM-5LA METALLURGICAL LITERATURE CLASSIFICATION																			
FROM SYMBOLIC										FROM SYMBOLIC									
SYMBOLIC										SYMBOLIC									

C A

PROCESSOR AND PROPERTY INDEX

The kinetics of the plastic deformation of crystals. M. O. Kurnakova. Physid. Z. Sovjetunion 18, 605-17(1936) (in German).--A method of studying the plastic deformation of crystals was selected and preliminary measurements were made on Al.

Maria Varnsworth

ASH-11-A METALLURGICAL LITERATURE CLASSIFICATION

ROOMS SIGNIFICANT

SECTIONAL INDEX

CLASSIFICATION

ORIGINAL ONE ONLY SET

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
PROCESSING AND PROPERTY INDEX																			
<div style="display: flex; justify-content: space-between;"> BC A-1 </div> <div style="text-align: center; margin-top: 100px;"> <p>(Note on) von Karman. M. O. Kornfeld (Bull. Acad. Sci. USSR, Div. Phys., 1957, 54, 1, 100, 1, 1957)</p> </div>																			
ASB-51A METALLURGICAL LITERATURE CLASSIFICATION										ASB-51A METALLURGICAL LITERATURE CLASSIFICATION									
1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									

1ST AND 2ND CODES										3RD AND 4TH CODES									
PROCESSES AND PROPERTIES INDEX																			
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 10%; font-size: 2em; font-weight: bold;">m</div> <div style="width: 80%; text-align: center;"> <p>*On Nuclei Formation During Recrystallization. III. - The Orientation of Recrystallization Nuclei. M. O. Kornfeld (Zhurnal Eksperimental'noy i Teoreticheskoy Fiziki (J. Exper. Theoret. Physics), 1937, 7, (3), 450-456).- [In Russian.] See abstract from a German source, Met. Abs., this vol., p. 45.</p> </div> <div style="width: 10%; font-size: 2em; font-weight: bold;">w</div> </div>																			
ASM. A METALLURGICAL LITERATURE CLASSIFICATION																			
1ST AND 2ND CODES										3RD AND 4TH CODES									

100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533
 534
 535
 536
 537
 538
 539
 540
 541
 542
 543
 544
 545
 546
 547
 548
 549
 550
 551
 552
 553
 554
 555
 556
 557
 558
 559
 560
 561
 562
 563
 564
 565
 566
 567
 568
 569
 570
 571
 572
 573
 574
 575
 576
 577
 578
 579
 580
 581
 582
 583
 584
 585
 586
 587
 588
 589
 590
 591
 592
 593
 594
 595
 596
 597
 598
 599
 600
 601
 602
 603
 604
 605
 606
 607
 608
 609
 610
 611

1ST AND 2ND ORDERS										100 AND 4TH ORDERS									
PROCESSES AND PROPERTIES INDEX																			
<div style="display: flex; justify-content: space-between;"> 7 3 </div> <p>On Nuclei Formation During Recrystallization. V.—Effect of Relaxation on the Velocity of Nuclei Formation During Subsequent Recrystallization. M. O. Kornfeld and A. A. Schazmarin (<i>Zhurnal Eksperimental'noy i Teoreticheskoy Fiziki</i> (<i>J. Exper. Theoret. Physics</i>), 1937, 7, (3), 460-462).—[In Russian.] See abstract from a German source, <i>Met. Abs.</i>, this vol., p. 238. —N. A.</p>																			
<div style="display: flex; justify-content: space-between;"> <div> <p>COMMON ELEMENTS</p> <p>COMMON CHARACTERISTICS INDEX</p> </div> <div> <p>ASB-51A METALLURGICAL LITERATURE CLASSIFICATION</p> </div> </div>																			
FROM DIVISION										FROM SOURCE									
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20									

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50																																																	
1ST AND 2ND ORDERS													3RD AND 4TH ORDERS																																				
PROCESSES AND PROPERTIES INDEX																																																	
<p>M</p> <p>Kinetics of the Plastic Deformation of Crystals. M. O. Kornfeld (Zhurnal Eksperimental'noy i Teoreticheskoy Fiziki (J. Exper. Theoret. Physics), 1937, 7, (3), 463-471).—[In Russian.] See abstract from a German source, <i>Met. Abs.</i>, this vol., p. 79.—N A</p>																																																	
<p>1</p>																																																	
<p>ASH, I. A. METALLURGICAL LITERATURE CLASSIFICATION</p>																																																	
<p>1ST AND 2ND ORDERS</p>																																																	
<p>3RD AND 4TH ORDERS</p>																																																	

1ST AND 2ND CATEGORIES																										3RD AND 4TH CATEGORIES																									
PROCESSING AND PROPERTIES INDEX																																																			
<div style="position: relative; height: 100px;"> M 3 <p style="text-align: center;"> *The Formation of Nuclei Associated with Recrystallization. VI.—The Dependence on Temperature of the Rate of Crystal Nuclei Formation. M. Kornfeld and V. Pavlov (<i>Zhur. Eksp. Teor. Fiziki (J. Exper. Theoret. Physics)</i>, 1937, 7, (9/10), 1177-1179).—[In Russian.] See abstract from German source, <i>Met. Abs.</i>, this vol., p. 8.—N. A. </p> </div>																																																			
ASB-51A METALLURGICAL LITERATURE CLASSIFICATION																																																			
1ST AND 2ND CATEGORIES																										3RD AND 4TH CATEGORIES																									
1ST AND 2ND CATEGORIES																										3RD AND 4TH CATEGORIES																									

†**The Plasticity of Metals.** M. O. Kornfeld (Zhur. Tehn. Fiziki (J. Tech. Phys.), 1937, 7, 1601-1622, 1693-1718; Chem. Zentr., 1938, 100, (11), 829). [In Russian.] Cf. *Met. Abs.*, 1937, 4, 70. A review, covering the anisotropy of the plastic properties of crystals, the structure of plastically deformed crystals, and the kinetics of plastic deformation: the phenomenon of mechanical twin formation and the theory of plastic deformation of crystals are also discussed.

AS 4.31 A METALLURGICAL LITERATURE CLASSIFICATION

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z																											1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36																										
																											1st AND 2ND EDITIONS																										
																											PROCESSES AND PROPERTIES INDEX																										
<p><i>m</i></p>																											<p>3</p>																										
<p>*On Grain Formation During Recrystallization. IV.—The Orientation of Recrystallization Nuclei. M. Kornfeld (<i>Physical Z. Supplement</i>, 1937, 11, (3), 297-301).—[In German.] <i>Z. Met. Abw.</i>, 1936, 3, 116; this vol., p. 45, and following abstract. The relation between the recrystallization texture of hard-drawn aluminium wire and the texture of the original plastically-strained material is investigated experimentally and discussed briefly.—J. T.</p>																																																					
<p>AIR-SEA METALLURGICAL LITERATURE CLASSIFICATION</p>																											<p>RECRYSTALLIZATION</p>																										
FROM STEELWORK																											FROM IRON/IV																										
SECOND PA																											COLLAPSE																										
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36																											1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36																										

1ST AND 2ND ORDERS																										100 AND 5TH ORDERS																									
PROCESSING AND PROPERTY INDEX																																																			
<p>71</p> <p>3</p> <p>*On Nuclei Formation During Recrystallization. V.—Effect of Relaxation on the Velocity of Nuclei Formation During Subsequent Recrystallization. M. Kornfeld and A. Schammarin (<i>Physikal. Z. Sowjetunion</i>, 1937, 11, (3), 302-304). [In German.] Cf. preceding abstract. The effect of relaxation on the rate of nuclei formation during subsequent recrystallization in the case of plastically-deformed single crystals of aluminium is found to be very different from that previously found for polycrystalline aluminium (cf. <i>Physikal. Z. Sowjetunion</i>, 1934, 8, 537). The apparent contradiction between the two processes is removed by the assumption of a lack of uniformity in the effect of relaxation in various regions of the deformed materials. In some regions the incubation period for the formation of recrystallization nuclei is increased, in others decreased, owing to structural differences characterizing the single and polycrystalline materials.—J. S. G. T.</p>																																																			
<p>ASM-A1A METALLURGICAL LITERATURE CLASSIFICATION</p> <p>FROM SOURCE</p> <p>RELATIONS</p>																																																			

1ST AND 2ND COLUMNS										3RD AND 4TH COLUMNS									
PROCESS AND PROPERTIES INDEX																			
M										3									
<p>*The Formation of Nuclei Associated with Recrystallization. VI.—The Dependence on Temperature of the Rate of Crystal Nuclei Formation. M. Kornfeldt and W. Pavlov (<i>Physikal. Z. Sowjetunion</i>, 1937, 18, (3), 301-308).—[In German.] The dependence on temperature of the rate of formation of crystal nuclei, and of the linear velocity, v, of growth of new crystal grains, was studied experimentally in the case of hard-drawn aluminium wire. The results show that v is expressible as a simple exponential function of the recrystallization temperature; the rate of formation of crystal nuclei is not so expressible.—J. S. G. T.</p>																			
ASM-AIA METALLURGICAL LITERATURE CLASSIFICATION																			
FROM 17101517M										FROM 17101517M									
147085 4										147085 4									
147085 4										147085 4									

METALLURGICAL LITERATURE CLASSIFICATION																									
MATERIALS													PROCESSES AND PROPERTIES												
MATERIALS													PROCESSES AND PROPERTIES												
<p>BC</p> <p>Velocity of grain growth in aluminium. M. KORNFIELD and F. RINAUDO (Physical. Z. Soviet-union, 1937, 12, 444-446; cf. A., 1935, 433).—New grains develop with anisotropic velocity during the recrystallization of plastically deformed single crystals of Al. They join to the octahedral planes of the mother-crystal with different irrational plane indices. The anisotropic growth occurs within a narrow temp. range and vanishes at high temp. J. A. D.</p>																									

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSING AND PREPARED INDEX																																																			
<p><i>7a</i></p> <p>Mechanical properties of raw and vulcanized rubbers during periodical deformation. M. Kornfeld and V. Puzosykh. <i>J. Tech. Phys.</i> (U. S. S. R.) 9, 275 82(1980).</p> <p>The modulus of elasticity $1/\gamma$ and the work Q which during one period is irreversibly spent for compression of a rubber disk were measured with a device similar to the Schenck app. for detg. hysteresis in metals. With 30 compressions per sec. the relative deformation reached 10%. Q was a max. at low temps., e. g., -40° for vulcanized natural rubber, while γ increased with increasing temp. (i) within the interval investigated (-50° to $+20^\circ$). The $Q \sim t$ and $\gamma \sim t$ curves shifted toward higher t values with increase in the degree of polymerization (in the chloroprene series) or vulcanization (rubber with 2.5% of S and ebony). Certain ingredients shifted these curves to lower temps. Lampblack was inactive. Some specimens of smoked sheet had different Q and γ values on heating and cooling, resp.</p> <p style="text-align: right;">J. J. Bikerman</p>																																																			
<p>ASD-5LA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>4304 137-0119</p> <p>140389 01</p> <p>197003 01</p> <p>011111000</p> <p>011111 000 011</p>																																																			

1ST AND 2ND QUARTERS										3RD AND 4TH QUARTERS									
PROCESS AND PROPERTIES INDEX																			
SA										A 548									
<p>88. <i>Brittleness of liquids.</i> M. KORNFELD AND M. RYVRIN. <i>J. of Exp. and Theor. Phys. U.S.S.R.</i>, 11, 8, pp. 883-886, 1959. <i>In Russian.</i> —It was found that for velocities of impulsive deformation of about 20 m./sec. a liquid of viscosity 5×10^6 poise suffers little disruption. Results for velocities of 200 m./sec. are also described. The nature of the disruption was observed photographically. D. S.</p>																			
<p>ASB-55A METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>100000-17 047 324</p>										<p>100000-17 047 324</p>									
<p>100000-17 047 324</p>										<p>100000-17 047 324</p>									

1ST AND 2ND COLUMNS																										3RD AND 4TH COLUMNS																									
PROCESSES AND PROPERTIES INDEX																																																			
<div style="display: flex; justify-content: space-between;"> 3C A1 </div> <p> <i>Experiments of H. M. Kornfeld and M. Rivlin (J. Physics U.S.S.R., 1940, 2, 143-144). Very brief exposure: photographs indicate that when a stream of a resin-trans- former oil mixture of $q \sim 5 \times 10^4$ poises is deformed with a rate of impact of ~ 88 m. per sec. (rotating arm) or ~ 300 m. per sec. (rifle bullet) it undergoes brittle destruction.</i> </p> <p style="text-align: right;">J. W. S.</p>																																																			
<div style="display: flex; justify-content: space-between;"> ABR. I. A. METALLURGICAL LITERATURE CLASSIFICATION 82-112 </div>																																																			

1ST AND 2ND SECTORS										3RD AND 4TH SECTORS									
PROCESSING AND REPERTORY INDEX																			
<div style="display: flex; justify-content: space-between;"> CA 2 </div> <div style="text-align: center;"> <p>The physical nature of cavitation destructions. M. O. Kornilov, <i>I. Phys.</i> (U. S. S. R.) 5, 92-3 (1941) (in English). -- Photographs were taken of the bubbles formed on a glass rod in water vibrated with a frequency of 7500 cycles/sec. The from cavitation bubbles are filled not with air but with water vapor, perform radial pulsations, and become unstable at high frequencies, causing a destruction of the glass surface. F. H. Rathmann</p> </div>																			
<div style="display: flex; justify-content: space-between;"> <div> <p>ADP-5.5A METALLURGICAL LITERATURE CLASSIFICATION</p> <p>FROM STATIONARY</p> </div> <div> <p>FROM DOMINANT</p> <p>SECTORS ONE ONLY</p> </div> </div>																			

1ST AND 2ND DEGREE										3RD AND 4TH DEGREE									
COMMON ELEMENTS																			
COMMON VARIABLES INDEX																			
SA										532.538									
<p>1333 The nature of the destructive action of cavitation. KORNSHILF, M., AND SUTUROV, L. <i>J. Phys., U.S.S.R.</i>, 6, 1-2, pp. 75-92, 1942.—The singing of a kettle, explained by the collapse of steam bubbles, has led to the explanation of the erosion of ship propellers, etc. The mechanism of the action as described by Cook and Rayleigh indicates the possibility of the existence of great pressures. In the authors' experi- ments cavitation is produced by a Ni tube oscillator vibrating at resonant frequency 7 500 in water. The short specimen under test was screwed into the upper end of the vertical oscillator, and the shape, vibrations and behaviour of the bubbles formed are discussed. The bubbles lose stability on attaining a dia. of 0.5 mm. and have destructive properties, boring through Al leaf, in a few min. The erosive action of cavitation is caused by the pressure due to the direct blows of the liquid. In the case of ship propellers, unstable surface cavities play the most important rôle, and a rubber covering for the pro- peller is suggested as a protection. The vibrations of the screw and its blades may lead to surface cavi- tation with very strong erosive action. G. E. A.</p>																			
ASB.5LA METALLURGICAL LITERATURE CLASSIFICATION																			
FROM STUDY										FROM SUMMARY									
100 GROUP										100 GROUP									
100 GROUP										100 GROUP									

[illegible]

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

12-16 *12-16-1943*
Lab. notes

Rigidity modulus of liquids and its dependence on temperature.
M. Kestin (Compt. rend. Acad. Sci. U.R.S.S., 1943, 28, 298-300).—Measurements of effective modulus of rigidity and angle of phase displacement between deformation and stress for rosin at -5° to 70° and frequencies 2.8×10^3 , 1.3×10^4 , and 2.9×10^4 Hertz show agreement with Maxwell's representation of shear as the sum of viscous and elastic components. The rigidity modulus decreases with increasing temp., and is $< 10^{10}$ dynes per sq. cm. L. J. J.

12

M

PROCESSING AND PROPERTIES INDEX

Measurement of the Modulus of Elasticity of Solid and Liquid Bodies. M. Kornfeld (*J. Physics (U.S.S.R.)*, 1944, 8, (1), 4-6).—[In English.] The method of measurement is based upon the determination of the frequency of free vibrations of a system consisting of a principal rod, made of slightly absorbing material, and a supplementary rod, of the substance under test, attached to one end of the former. Two forms of apparatus are described. In one, the principal rod is of glass and vibrations are excited by interaction between an iron armature attached to the rod and a continuously variable electromagnetic device. In the other, the principal rod is a piezo-quartz oscillator. In both forms, the frequency of the generator is smoothly varied and the resonance curve of the vibrations of the compound rod determined. Equations from which the results may be deduced are given, and methods of working with soft solids and liquids are described. The apparatus may be adapted for use over a wide range of frequencies and temperatures. (U. V. H.)

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1940-1949

1950-1959

1960-1969

1970-1979

1980-1989

1990-1999

2000-2009

2010-2019

2020-2029

2030-2039

2040-2049

2050-2059

2060-2069

2070-2079

2080-2089

2090-2099

2100-2109

2110-2119

2120-2129

2130-2139

2140-2149

2150-2159

2160-2169

2170-2179

2180-2189

2190-2199

2200-2209

2210-2219

2220-2229

2230-2239

2240-2249

2250-2259

2260-2269

2270-2279

2280-2289

2290-2299

2300-2309

2310-2319

2320-2329

2330-2339

2340-2349

2350-2359

2360-2369

2370-2379

2380-2389

2390-2399

2400-2409

2410-2419

2420-2429

2430-2439

2440-2449

2450-2459

2460-2469

2470-2479

2480-2489

2490-2499

2500-2509

2510-2519

2520-2529

2530-2539

2540-2549

2550-2559

2560-2569

2570-2579

2580-2589

2590-2599

2600-2609

2610-2619

2620-2629

2630-2639

2640-2649

2650-2659

2660-2669

2670-2679

2680-2689

2690-2699

2700-2709

2710-2719

2720-2729

2730-2739

2740-2749

2750-2759

2760-2769

2770-2779

2780-2789

2790-2799

2800-2809

2810-2819

2820-2829

2830-2839

2840-2849

2850-2859

2860-2869

2870-2879

2880-2889

2890-2899

2900-2909

2910-2919

2920-2929

2930-2939

2940-2949

2950-2959

2960-2969

2970-2979

2980-2989

2990-2999

3000-3009

3010-3019

3020-3029

3030-3039

3040-3049

3050-3059

3060-3069

3070-3079

3080-3089

3090-3099

3100-3109

3110-3119

3120-3129

3130-3139

3140-3149

3150-3159

3160-3169

3170-3179

3180-3189

3190-3199

3200-3209

3210-3219

3220-3229

3230-3239

3240-3249

3250-3259

3260-3269

3270-3279

3280-3289

3290-3299

3300-3309

3310-3319

3320-3329

3330-3339

3340-3349

3350-3359

3360-3369

3370-3379

3380-3389

3390-3399

3400-3409

3410-3419

3420-3429

3430-3439

3440-3449

3450-3459

3460-3469

3470-3479

3480-3489

3490-3499

3500-3509

3510-3519

3520-3529

3530-3539

3540-3549

3550-3559

3560-3569

3570-3579

3580-3589

3590-3599

3600-3609

3610-3619

3620-3629

3630-3639

3640-3649

3650-3659

3660-3669

3670-3679

3680-3689

3690-3699

3700-3709

3710-3719

3720-3729

3730-3739

3740-3749

3750-3759

3760-3769

3770-3779

3780-3789

3790-3799

3800-3809

3810-3819

3820-3829

3830-3839

3840-3849

3850-3859

3860-3869

3870-3879

3880-3889

3890-3899

3900-3909

3910-3919

3920-3929

3930-3939

3940-3949

3950-3959

3960-3969

3970-3979

3980-3989

3990-3999

4000-4009

4010-4019

4020-4029

4030-4039

4040-4049

4050-4059

4060-4069

4070-4079

4080-4089

4090-4099

4100-4109

4110-4119

4120-4129

4130-4139

4140-4149

4150-4159

4160-4169

4170-4179

4180-4189

4190-4199

4200-4209

4210-4219

4220-4229

4230-4239

4240-4249

4250-4259

4260-4269

4270-4279

4280-4289

4290-4299

4300-4309

4310-4319

4320-4329

4330-4339

4340-4349

4350-4359

4360-4369

4370-4379

4380-4389

4390-4399

4400-4409

4410-4419

4420-4429

4430-4439

4440-4449

4450-4459

4460-4469

4470-4479

4480-4489

4490-4499

4500-4509

4510-4519

4520-4529

4530-4539

4540-4549

4550-4559

4560-4569

4570-4579

4580-4589

4590-4599

4600-4609

4610-4619

4620-4629

4630-4639

4640-4649

4650-4659

4660-4669

4670-4679

4680-4689

4690-4699

4700-4709

4710-4719

4720-4729

4730-4739

4740-4749

4750-4759

4760-4769

4770-4779

4780-4789

4790-4799

4800-4809

4810-4819

4820-4829

4830-4839

4840-4849

4850-4859

4860-4869

4870-4879

4880-4889

4890-4899

4900-4909

4910-4919

4920-4929

4930-4939

4940-4949

4950-4959

4960-4969

4970-4979

4980-4989

4990-4999

5000-5009

5010-5019

5020-5029

5030-5039

5040-5049

5050-5059

5060-5069

5070-5079

5080-5089

5090-5099

5100-5109

5110-5119

5120-5129

5130-5139

5140-5149

5150-5159

5160-5169

5170-5179

5180-5189

5190-5199

5200-5209

5210-5219

5220-5229

5230-5239

5240-5249

5250-5259

5260-5269

5270-5279

5280-5289

5290-5299

5300-5309

5310-5319

5320-5329

5330-5339

5340-5349

5350-5359

5360-5369

5370-5379

5380-5389

5390-5399

5400-5409

5410-5419

5420-5429

5430-5439

5440-5449

5450-5459

5460-5469

5470-5479

5480-5489

5490-5499

5500-5509

5510-5519

5520-5529

5530-5539

5540-5549

5550-5559

5560-5569

5570-5579

5580-5589

5590-5599

5600-5609

5610-5619

5620-5629

5630-5639

5640-5649

5650-5659

5660-5669

5670-5679

5680-5689

5690-5699

5700-5709

5710-5719

5720-5729

5730-5739

5740-5749

5750-5759

5760-5769

5770-5779

5780-5789

5790-5799

5800-5809

5810-5819

5820-5829

5830-5839

5840-5849

5850-5859

5860-5869

5870-5879

5880-5889

5890-5899

5900-5909

5910-5919

5920-5929

5930-5939

5940-5949

5950-5959

5960-5969

5970-5979

5980-5989

5990-5999

6000-6009

6010-6019

6020-6029

6030-6039

6040-6049

6050-6059

6060-6069

6070-6079

6080-6089

6090-6099

6100-6109

6110-6119

6120-6129

6130-6139

6140-6149

6150-6159

6160-6169

6170-6179

6180-6189

6190-6199

6200-6209

6210-6219

6220-6229

6230-6239

6240-6249

6250-6259

6260-6269

6270-6279

6280-6289

6290-6299

6300-6309

6310-6319

6320-6329

6330-6339

6340-6349

6350-6359

6360-6369

6370-6379

6380-6389

6390-6399

6400-6409

6410-6419

6420-6429

6430-6439

6440-6449

6450-6459

6460-6469

6470-6479

6480-6489

6490-6499

6500-6509

6510-6519

6520-6529

6530-6539

6540-6549

6550-6559

6560-6569

6570-6579

6580-6589

6590-6599

6600-6609

6610-6619

6620-6629

6630-6639

6640-6649

6650-6659

6660-6669

6670-6679

6680-6689

6690-6699

6700-6709

6710-6719

6720-6729

6730-6739

6740-6749

6750-6759

6760-6769

6770-6779

6780-6789

6790-6799

6800-6809

6810-6819

6820-6829

6830-6839

6840-6849

6850-6859

6860-6869

6870-6879

6880-6889

6890-6899

6900-6909

6910-6919

6920-6929

6930-6939

6940-6949

6950-6959

6960-6969

6970-6979

6980-6989

6990-6999

7000-7009

7010-7019

7020-7029

7030-7039

7040-7049

7050-7059

7060-7069

7070-7079

7080-7089

7090-7099

7100-7109

7110-7119

7120-7129

7130-7139

7140-7149

7150-7159

7160-7169

7170-7179

7180-7189

7190-7199

7200-7209

7210-7219

7220-7229

7230-7239

7240-7249

7250-7259

7260-7269

7270-7279

7280-7289

7290-7299

7300-7309

7310-7319

7320-7329

7330-7339

7340-7349

7350-7359

7360-7369

7370-7379

7380-7389

7390-7399

7400-7409

7410-7419

7420-7429

7430-7439

7440-7449

7450-7459

7460-7469

7470-7479

7480-7489

7490-7499

7500-7509

7510-7519

7520-7529

7530-7539

7540-7549

7550-7559

7560-7569

7570-7579

7580-7589

7590-7599

7600-7609

7610-7619

7620-7629

7630-7639

7640-7649

7650-7659

7660-7669

7670-7679

7680-7689

7690-7699

7700-7709

7710-7719

7720-7729

7730-7739

7740-7749

7750-7759

7760-7769

7770-7779

7780-7789

7790-7799

7800-7809

7810-7819

7820-7829

7830-7839

7840-7849

7850-7859

7860-7869

7870-7879

7880-7889

7890-7899

7900-7909

7910-7919

7920-7929

7930-7939

7940-7949

7950-7959

7960-7969

7970-7979

7980-7989

7990-7999

8000-8009

8010-8019

8020-8029

8030-8039

8040-8049

8050-8059

8060-8069

8070-8079

8080-8089

8090-8099

8100-8109

8110-8119

8120-8129

8130-8139

8140-8149

8150-8159

8160-8169

8170-8179

8180-8189

8190-8199

8200-8209

8210-8219

8220-8229

8230-8239

8240-8249

8250-8259

8260-8269

8270-8279

8280-8289

8290-8299

8300-8309

8310-8319

8320-8329

8330-8339

8340-8349

8350-8359

8360-8369

8370-8379

8380-8389

8390-8399

8400-8409

8410-8419

8420-8429

8430-8439

8440-8449

8450-8459

8460-8469

8470-8479

8480-8489

8490-8499

8500-8509

8510-8519

8520-8529

8530-8539

8540-8549

8550-8559

8560-8569

8570-8579

8580-8589

8590-8599

8600-8609

8610-8619

8620-8629

8630-8639

8640-8649

8650-8659

8660-8669

8670-8679

8680-8689

8690-8699

8700-8709

8710-8719

8720-8729

8730-8739

8740-8749

8750-8759

8760-8769

8770-8779

8780-8789

8790-8799

8800-8809

8810-8819

8820-8829

8830-8839

8840-8849

8850-8859

8860-8869

8870-8879

8880-8889

8890-8899

8900-8909

8910-8919

8920-8929

8930-8939

8940-8949

8950-8959

8960-8969

8970-8979

8980-8989

8990-8999

9000-9009

9010-9019

9020-9029

9030-9039

9040-9049

9050-9059

9060-9069

9070-9079

9080-9089

9090-9099

9100-9109

9110-9119

9120-9129

9130-9139

9140-9149

9150-9159

9160-9169

9170-9179

9180-9189

9190-9199

9200-9209

9210-9219

9220-9229

9230-9239

9240-9249

9250-9259

9260-9269

9270-9279

9280-9289

9290-9299

9300-9309

9310-9319

9320-9329

9330-9339

9340-9349

9350-9359

9360-9369

9370-9379

9380-9389

9390-9399

9400-9409

9410-9419

9420-9429

9430-9439

9440-9449

9450-9459

9460-9469

9470-9479

9480-9489

9490-9499

9500-9509

9510-9519

9520-9529

9530-9539

9540-9549

9550-9559

9560-9569

9570-9579

9580-9589

9590-9599

9600-9609

9610-9619

9620-9629

9630-9639

9640-9649

9650-9659

9660-9669

9670-9679

9680-9689

9690-9699

9700-9709

9710-9719

9720-9729

9730-9739

9740-9749

9750-9759

9760-9769

9770-9779

9780-9789

9790-9799

9800-9809

9810-9819

9820-9829

9830-9839

9840-9849

9850-9859

9860-9869

9870-9879

9880-9889

9890-9899

9900-9909

9

1ST AND 2ND LETTER																										3RD AND 4TH LETTER																									
AUTHOR INDEX																										SUBJECT INDEX																									
BC																										B-1-1																									
<p>Experiments were made using Gabor technique (Gabor, 1928, p. 508) for creating longitudinal vibrations in a 10 bar under H₂O, adapted so that the end surface of the bar could be observed microscopically. At small amplitudes air bubbles are formed on this surface, and are observed to vibrate actively. At larger amplitudes these bubbles become agitated, break away from the surface, and dart about in the liquid; they have a considerable persistence about 1/2 second to impinge on a glass wall. At the highest amplitudes a "convulsional cloud" appears on the surface; this continuously changes its shape and size, the latter over a range of from 2 to 3 times. For each change Rayleigh's theory of alternative pressures is inadequate to explain the destructive action of the surface, which must be ascribed to the direct impact of the H₂O on the surface as the cavity collapses (cf. Rayleigh, Proc. Roy. Soc., 1916, A, 88, 71; Cook, R., 1928, 1948). R. J. W.</p>																																																			

KORNFELD, M.

Kornfeld, M. (Elasticity and strength of liquids). Uprugost' i prochnost' zhidkostei.

Moskva, Gos. izd-vo tekhniko-teoret. lit-ry, 1951, 307 p.

Available: Library of Congress

Source: Monthly List of Russian Accessions, Vol. 5, NO. 2, Page, 94:

USSR/ Physics - Soap bubble

FD-1050

Card 1/1 : Pub. 153 - 21/23

Author : Kornfel'd, M.

Title : How a soap bubble bursts

Periodical : Zhur. tekhn. fiz., 24, 1520, Aug 1954

Abstract : Presents 7 photographs showing a soap bubble in the process of bursting, from an original total of 100 photographs. The process begins with the occurrence of a rift (a free edge in the soap film) and consists in the unraveling of fine filaments from this free edge, which finally decay into drops. Thus, the burst of a soap bubble leads, not to one drop, but to the successive atomization of the film into many fine drops.

Institution : - -

Submitted : 23 November 1954

KORNFELD, M.

USSR/ Physics - Piezometers

Card 1/1 Pub. 118 - 4/9

Authors : Kornfeld, M.

Title : Methods and the results of an investigation of the volume elasticity of a substance

Periodical : Usp. fiz. nauk 54/2, 315-342, Oct 1954

Abstract : Experiments with various piezometers were conducted for the purpose of determining the characteristics of the volume elasticity ($\Delta p / \Delta V$) of different substances. Results of these experiments are presented. Twenty-four references: 4-USSR (1923-1952). Tables; diagrams; graphs.

Institution : ...

Submitted ; ...

KORNTEL'D, M.; ZHUKHOVITSKIY, Ye.

Measurement of the elasticity modulus of substances with high-degree
sound absorption. Zhur.tekh.fiz. 25 no.11:1998-2007 0 '55. (MIRA 9:1)
(Elasticity--Measurement)

Swelling of a Liquid Surface under the Influence of Ultrasonic Radiation. M. Kozlov & N. Molokhova. (G. R. Acad. Sci. U.S.S.R. Ser. Phys. 1955, Vol. 105, No. 3, pp. 472-477. In Russian.) The experimentally determined relation between the ultrasonic energy density E , surface tension σ , the rise h of the liquid level, and the radius r of the swelling (equal to the radius of the quartz transducer) is given by $E = 2\sigma/hr^2$.

PK ①

RAW

tain probability w of the correct answer. Let us introduce the quantity u , which characterizes the degree of resolution of the object, namely $u = w/w^*$, where w is the probability of the correct answer and $w^* = 1-w$ is the probability of the incorrect answer. In a finite number n

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824720002-6

of tests n the probability u' of a correct answer becomes closer to u with increasing value of n . If $n > 30$, then $u - u' < t/n^{1/2}$, where t depends on the probability p , with which the inequality should be observed:

Card 1/2

- 123 -

USSR/Optics - Physiological Optics.

K-9

Abs Jour : Referat Zhur - Fizika, No 3, 1957, 8048

P	0	0.5	0.9	0.99	0.999
t	0	0.61	1.64	2.58	3.29

The theory developed was applied to the particular case of distinguishing between the sizes of two small circles. The value of u' was obtained as a function of the difference of the diameters of the circles.